

G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 Tel: (416) 261-7182 Fax: (416) 261-5663

# SAFETY DATA SHEET (SDS)

PRODUCT NAME: G.K. FABRIC PROTECTOR	
HEALTH HAZARD RATING:	(0)- MINIMAL HAZARD NFPA Rating
FLAMMABILITY HAZARD RATING:	(0)- MINIMAL HAZARD
REACTIVITY HAZARD RATING:	(0)- MINIMAL HAZARD
PERSONAL PROTECTION:	a (glasses)
HAZARD ALERT SIGN:	NO SYMBOL

SECTION 1 – IDENTIFICATION		
PRODUCT IDENTIFIER		
PRODUCT NAME	G.K.FABRIC PROTECTOR	
MANUFACTURER'S NAME AND ADDRESS EMERGENCY PHONE NO.	G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 (416) 261-7182 / 905 427-7605/ 416-526-4037	
SUPPLIER'S NAME AND ADDRESS EMERGENCY PHONE NO.		
CHEMICAL NAME	N/A	
CHEMICAL FAMILY	N/A	
TRADE NAME AND SYNONYMS	N/A	
MATERIAL USE	COMMERCIAL, INDUSTRIAL, INSTITUTIONAL	

G.K. Chemical Specialties Co. Inc. has compiled the information and recommendations contained in this Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation.

G.K. Chemical Specialties Co. Inc. extends no warranty and assumes no responsibility as to the accuracy of the content or sufficiency of the information and expressly disclaims all liability for reliance thereon. This SDS provides guidelines for the safe handling of this product. It does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.

G.K. Chemical Specialties Co. Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

<u>INGREDIENTS.</u> This SDS, under section of Ingredients, contains all ingredients listed under INGREDIENT DISCLOSURE LIST P.C. 1987-2719, 20/1/88 CANADA GAZETTE PART II VOL. 122, No 2 of HAZARDOUS PRODUCT ACT.

Percentage range of concentration of ingredients is expressed as percentage by weight of the total weight of the product. Ingredient List does not necessarily list all ingredients in the formulation and does not necessarily list all ingredient range of concentration, other than ingredients under the Disclosure List.

<u>T.L.V.</u> (units) or Threshold Limit Values refer to the limiting concentrations recommended by the Ministry of Labour. These values were adopted by the American Conference of Governmental Industrial Hygienists (A.C.G.I.H.). The figures refer to time-weighted average concentrations as P.P.M. (V/V) or mg/m³ for a normal working day or at any time for some materials.

<u>"C.A.S REG. No."</u> means the identification number assigned to a chemical substance by the Chemical Abstracts Service Division of the American Chemical Society.

<u>"LC 50"</u> means the concentration of a substance in air that when administered by means of inhalation over a specified length of time in an animal assay, is expected to cause the death of 50 per cent of a defined animal population.

<u>"LD 50"</u> means the single dose of a substance that, when administered by a defined route in an animal assay, is expected to cause death of 50 per cent of a defined animal population.

<u>FLASH POINT.</u> The minimum temperature at which a substance gives off flammable vapors which in contact with spark or flame will ignite.

NIOSH- National institute for occupational safety and health

STEL- Short term exposure limit

TWA- Time-weighted average

PEL- Permissible exposure limit

ACGIH- American conference of governmental industrial hygienist

OSHA- Occupational safety and health act

## **SECTION 2 – HAZARD IDENTIFICATION**

Dangerous Goods- WHMIS; Not regulated

**Balance** 

#### **GHS CLASSIFICATION**

Not dangerous according to Globally Harmonized System (GHS)

### **POTENTIAL HEALTH EFFECTS**

May cause eye irritation

**SECTION 3** – composition/information on ingredients

May be harmful if swallowed

#### **RESPONSE:**

Water, inert and other

non -hazardous ingredients

P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/ attention

P301 + P330 + P331; IF SWALLOWED; Rinse mouth. Do NOT induce vomiting

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician

HAZARDOUS INGREDIENTS	APPROXIMATE CONCENTRATION %	C.A.S., N.A. OR U.N. NUMBERS	LD50 {SPECIFY SPECIES & ROUTE}	LC 50 {SPECIFY SPECIES & ROUTE}
Partially Fluorinated Aliphatic	1 - 3	Proprietary	Oral(Rat): 11,000 mg/kg	
Polyurethane			Dermal(Rabbit):>2000mg/kg	
2-Methyl-2,4-pentanediol	<1	107-41-5	Oral(Rat): 3,700 mg/kg	
			Dermal (Rabbit): 7,880 mg/kg	
Amphoteric Acrylic copolymer	<1	70801-07-9	Oral (Rat): >2,000 mg/kg	
			Dermal(Rabbit): >2000mg/kg	
Polyethoxylated Aliphatic	<1	64425-86-1	Oral(Rat): >2000 mg/kg	
Alcohol			Dermal(Rabbit);>2000mg/kg	

SECTION 4 – FIRST AID MEASURES		
SKIN CONTACT	No known significant effects or critical hazards expected for product at use solution. For product as sold contact may cause very mild irritation to some persons.	
EYE CONTACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Seek medical attention if required	
INHALATION	No known significant effects or critical hazards	
INGESTION	May be harmful if swallowed. Do not induce vomiting. Drink 1 or 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious or convulsing person. If vomiting occur spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.	
NOTES TO PHYSICIAN	Treatment based on sound judgment of physician and individual reaction of patient. If swallowed Symptoms may include nausea, vomiting and diarrhea	

SECTION 5 – FIRE-FIGHTING MEASURES		
FLASH POINT ( °C)	Not flammable	
FLASH POINT METHOD	Not applicable	
AUTOIGNITION TEMPERATURE ( °C )	Not applicable	
UPPER FLAMMABLE LIMIT ( % VOL.)	Not applicable	
LOWER FLAMMABLE LIMIT ( % VOL. )	Not applicable	
HAZARDOUS COMBUSTION PRODUCTS	Carbon Dioxide (CO <sub>2</sub> ), Carbon monoxide (CO),	
UNUSUAL FIRE/ EXPLOSION HAZARDS	None known	
SENSITIVITY TO MECHANICAL IMPACT	Not sensitive	
SENSITIVITY TO STATIC DISCHARGE	Not sensitive	
EXTINGUISHING MEDIA	Water spray, foam, dry powder or Carbon Dioxide. Use media appropriate for surrounding fire	
SPECIAL FIRE FIGHTING PROCEDURES	Fire fighters should wear full protective clothing, including self- contained breathing equipment	

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
LEAK AND SPILL PROCEDURE	Stop leak. Move containers from spill area. Dilute with water and mop up. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur	
ENVIRONMENTAL PRECAUTIONARY	Prevent entry into sewers or streams.	
PERSONAL PRECAUTIONARY MEASURES	Wear protective clothing during cleanup	

SECTION 7 – HANDLING AND STORAGE	
HANDLING PROCETURES	Avoid contact with eyes. Avoid ingestion. Use good industrial hygiene practices in handling this product. Keep container closed when not in use.
STORAGE NEEDS	Keep container tightly closed. Keep away from children. Do not store in unlabeled containers. Do not store with strong oxidizing agents.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION	
VENTILATION REQUIREMENTS	General ventilation is recommended.
PROTECTIVE EQUIPMENT	Ensure that eyewash stations are proximal to the work-station location
EYE/TYPE	Safety glasses
RESPIRATORY/TYPE	None required
GLOVE/TYPE	None required
FOOTWEAR/TYPE	No special footwear is required
BODY/TYPE	No special protective clothing is required

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE – PHYSICAL STATE	Milky thin Liquid
ODOUR	Mild
ODOUR THRESHOLD (PPM)	Not available

PH	6.80 ±0.50 in water
MELTING POINT ( °C)	Not applicable
BOILING POINT ( °C )	100°C
FREEZING POINT ( °C )	0°C
EVAPORATION RATE	As water
FLAMMABILITY	Not applicable
FLASH POINT ( °C)	Not applicable
AUTO IGNITION TEMPERATURE	Not applicable
DECOMPOSITION TEMPERATURE	Not available
VAPOUR DENSITY	Not applicable
VAPOUR PRESSURE	Not applicable
SOLUBILITY	Soluble in water
VISCOSITY	Viscous liquid
% VOLATILE BY VOLUME	Not established
SPECIFIC GRAVITY	$1.01 \pm 0.02  \text{gm} / \text{cm}^3$

SECTION 10 – STABILITY AND REACTIVITY		
REACTIVITY	The product is stable	
CHEMICAL STABILITY	Stable	
POSSIBILITY OF HAZARDOUS REACTIONS	Not applicable	
CONDITIONS TO AVOID	No specific data	
INCOMPATIBLE MATERIALS	Strong Oxidizing agents	
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon Dioxide (CO <sub>2</sub> ), Carbon Monoxide (CO).	

SECTION 11 -TOXICOLOGICAL INFORMATION		
TOXICITY EFFECTS ON ANIMALS	For Partially Fluorinated Aliphatic Polyurethane: Acute Oral toxicity LD50 (Rat): 11,000 mg/kg, LD50 Dermal (Rabbit):>2,000 mg/kg.  For 2-Methyl-2,4-pentanediol (107-41-5): Acute Oral toxicity LD50 (Rat):3,700 mg /kg, LD50 Dermal (Rabbit): 7,880 mg/kg.  For Amphoteric Acrylic copolymer (70801-07-9): Acute Oral toxicity LD50 (Rat):>2,000 mg/kg. LD50 Dermal (Rabbit): >2,000 mg/kg.  For Polyethoxylated Aliphatic Alcohol (64425-86-1): Acute Oral toxicity LD50 (Rat): >2,000 mg/kg. LD50 Dermal (Rabbit): >2,000 mg/kg.  For the mix estimated Acute Oral Toxicity is much >5,000 mg/kg. Therefore product is classified as non-toxic. Acute Dermal Toxicity for the mix is also estimated to be much >5,000 mg/kg. Therefore the product is classified as non-toxic	
TOXIC EFFECTS ON HUMANS	May cause mild irritation of eyes	
CHRONIC EFFECTS ON HUMANS	No known significant effects	
CARCINOGENICITY	No evidence	
TERATOGENICITY	No evidence	
MUTAGENICITY	No evidence	
REPRODUCTIVE EFFECTS	No evidence	

SECTION 12 -ECOLOGICAL INFORMATION		
ECOTOXICITY DATA	For Partially Fluorinated Aliphatic Polyurethane: No data found	
	For 2-Methyl-2,4-pentanediol (107-41-5): Acute Toxicity to fish LC50, Fathead	
	minnow (Pimephales promelas): 8,690 mg/L/96 h. Acute Toxicity to Crustacea	
	EC50, Daphnia magna (Water flea): 3,200 mg /L / 48 h.	
	Ingredient BIODEGRADABLE	
	For Amphoteric Acrylic copolymer (70801-07-9): No data found	
	For Polyethoxylated Aliphatic Alcohol: Acute Toxicity to fish, Brachydanio	
	rerio,LC50: 1-10 mg /L /96 h. Acute Toxicity to aquatic invertebrates EC50	
	Daphnia magna (Water flea): 1-10 mg / L / 48 h. Ingredient readily	
	BIODEGRADABLE	
BIODEGRADABILITY	Readily biodegradable	
PRODUCTS OF DEGRADATION	No data	

SECTION 13 – DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulation	
INFORMATION ON SAFE HANDLING FOR DISPOSAL INCLUDING ANY CONTAMINATED PACKAGING	Suitable waste facility	

SECTION 14 – TRANSPORT INFORMATION		
UN NUMBER	Not applicable	
UN PROPER SHIPPING NAME	Not applicable	
TRANSPORT HAZARD CLASS	Not regulated	
PACKAGING GROUP	Not applicable	
ENVIRONMENTAL HAZARDS	Nil	
TRANSPORT IN BULK, if applicable	Not applicable	
SPECIAL PRECAUTIONS	NIL	

SECTION 15 – REGULATORY INFORMATION		
SAFETY HEALTH & ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT	U.S. TSCA inventory Status: All components of this product are either on the Toxic Substances Control Act (TSCA) INVENTORY List or exempt. Canadian DSL Inventory Status: All components of this product are either on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL) or exempt.	

SECTION 16 – OTHER INFORMATION		
PREPARED BY:	Gus Kaklamanos - Chemist	
TELEPHONE NO.:	416-261-7182	
DATE OF THE LATEST REVISION OF SDS:	October 2, 2017	