

G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 Tel: (416) 261-7182 Fax: (416) 261-5663

SAFETY DATA SHEET (SDS)

PRODUCT NAME: G-420A ALL PURPOSE CLEANER		
HEALTH HAZARD RATING:	(1)- SLIGHT HAZARD NFPA Rating	
FLAMMABILITY HAZARD RATING:	(0)- MINIMAL HAZARD	
REACTIVITY HAZARD RATING:	(0)- MINIMAL HAZARD	
PERSONAL PROTECTION:	a (glasses,)	
HAZARD ALERT SIGN:		

SECTION 1 – IDENTIFICATION		
PRODUCT IDENTIFIER		
PRODUCT NAME	G-420A ALL PURPOSE CLEANER	
MANUFACTURER'S NAME AND ADDRESS EMERGENCY PHONE NO.	G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 (416) 261-7182 / 905 427-7605/ 416-526-4037	
SUPPLIER'S NAME AND ADDRESS EMERGENCY PHONE NO.		
CHEMICAL NAME	N/A	
CHEMICAL FAMILY	N/A	
TRADE NAME AND SYNONYMS	N/A	
MATERIAL USE	cleaning	

G.K. Chemical Specialties Co. Inc. has compiled the information and recommendations contained in this Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation.

G.K. Chemical Specialties Co. Inc. extends no warranty and assumes no responsibility as to the accuracy of the content or sufficiency of the information and expressly disclaims all liability for reliance thereon. This SDS provides guidelines for the safe handling of this product. It does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.

G.K. Chemical Specialties Co. Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

INGREDIENTS. This SDS, under section of Ingredients, contains all ingredients listed under INGREDIENT DISCLOSURE LIST P.C. 1987-2719, 20/1/88 CANADA GAZETTE PART II VOL. 122, No 2 of HAZARDOUS PRODUCT ACT.

Percentage range of concentration of ingredients is expressed as percentage by weight of the total weight of the product. Ingredient List does not necessarily list all ingredients in the formulation and does not necessarily list all ingredient range of concentration, other than ingredients under the Disclosure List.

 $\underline{\text{T.L.V.}}$ (units) or Threshold Limit Values refer to the limiting concentrations recommended by the Ministry of Labour. These values were adopted by the American Conference of Governmental Industrial Hygienists (A.C.G.I.H.). The figures refer to time-weighted average concentrations as P.P.M. (V/V) or mg/m³ for a normal working day or at any time for some materials.

<u>"C.A.S REG. No."</u> means the identification number assigned to a chemical substance by the Chemical Abstracts Service Division of the American Chemical Society.

<u>"LC 50"</u> means the concentration of a substance in air that when administered by means of inhalation over a specified length of time in an animal assay, is expected to cause the death of 50 per cent of a defined animal population.

<u>"LD 50"</u> means the single dose of a substance that, when administered by a defined route in an animal assay, is expected to cause death of 50 per cent of a defined animal population.

<u>FLASH POINT.</u> The minimum temperature at which a substance gives off flammable vapors which in contact with spark or flame will ignite.

NIOSH- National institute for occupational safety and health

STEL- Short term exposure limit

TWA- Time-weighted average

PEL- Permissible exposure limit

ACGIH- American conference of governmental industrial hygienist

OSHA- Occupational safety and health act

SECTION 2 – HAZARD IDENTIFICATION

Dangerous Goods-WHMIS: CLASS D, 2B

OSHA HAZARDS: Irritant

GHS CLASSIFICATION

Eye irritation-Category 2A

GHS Label Elements, including precautionary statements: Hazard Statements

Signal word-DANGER

HAZARD STATEMENTS

H320-Causes eye irritation H302- Harmful if swallowed

PREVENTION (see also section 4 – First aid and measures)

P280: Wear eye protection/face protection P264: Wash skin thoroughly after handling

P405: Store locked up

RESPONSE:



P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/attention

P303 + P361 +P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Shower.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

POTENTIAL HEALTH EFFECTS

EYE: May cause irritation SKIN: May cause skin irritation

INGESTION: May be harmful if swallowed

SECTION 3 – composition/information on ingredients				
HAZARDOUS INGREDIENTS	APPROXIMATE CONCENTRATION %	C.A.S., N.A. OR U.N. NUMBERS	LD50 {SPECIFY SPECIES & ROUTE}	LC 50 {SPECIFY SPECIES & ROUTE}
Diethylene Imidoxide Oleate	1 - 3	1095-66-5	Oral(Rat): >5,000 mg/kg Dermal (Rabbit):>2000 mg/kg	
Sodium (C10-16) Benzene Sulfonate	1 - 3	68081-2	Oral (Rat):>1,000 mg/kg Dermal(Rabbit):>2,999 mg/kg	
Sodium Citrate	1-3	68-04-2	Oral (Rat): 6,730 mg/kg Dermal(Rabbit):>2000mg/kg	
2-Butoxyethanol	1 - 3	111-76-2	Oral(Rat): 1,300 mg/kg Dermal(Rabbit):>5,000 mg/kg	
Sodium metasilicate pentahydrate	<1	10213-79-3	Oral(Rat): 1,153 mg/kg Dermal(Rabbit): 250 mg/kg	
Phosphoric acid, trisodium salt, dodecahydrate	< 1	10101-89-0	Oral(Rat): 7,400 mg/kg Dermal(Rabbit):>2,000mg/kg	
Water, inert and other non-hazardous ingredients	Balance			

SECTION 4 – F	IRST AID MEASURES
SKIN CONTACT	No known significant effects or critical hazards for product at use solution. For product as sold contact may cause mild irritation. In case of contact rinse with plenty of water.
EYE CONTACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Seek medical attention if required
INHALATION	No known significant effects or critical hazards
INGESTION	May be harmful if swallowed. Do not induce vomiting. Drink 1 or 2 glasses of water. Seek immediate medical attention. Nevergive anything by mouth to an unconscious or convulsing person. If vomiting occur spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.
NOTES TO PHYSICIAN	Treatment based on sound judgment of physician and individual reaction of patient. If swallowed Symptoms may include nausea, vomiting and diarrhea. EYE CONTACT: Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

SECTION 5 – FIRE-FIGHTING MEASURES		
FLASH POINT (°C)	Not applicable	
FLASH POINT METHOD	Notapplicable	
AUTOIGNITION TEMPERATURE (°C)	Notapplicable	
UPPER FLAMMABLE LIMIT (% VOL.)	Notapplicable	
LOWER FLAMMABLE LIMIT (% VOL.)	Notapplicable	
HAZARDOUS COMBUSTION PRODUCTS	Carbon Dioxide (CO ₂), Carbon monoxide (CO), Oxides of Sulphur	
UNUSUAL FIRE/ EXPLOSION HAZARDS	None known	
SENSITIVITY TO MECHANICAL IMPACT	Not sensitive	

SENSITIVITY TO STATIC DISCHARGE	Not sensitive
EXTINGUISHING MEDIA	Water spray, foam, dry powder or Carbon Dioxide. Use media appropriate for surrounding fire
SPECIAL FIRE FIGHTING PROCEDURES	Fire fighters should wear full protective clothing, including self- contained breathing equipment

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
LEAK AND SPILL PROCEDURE	Stop leak. Move containers from spill area. Dilute with water and mop up. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur	
ENVIRONMENTAL PRECAUTIONARY	Prevent entry into sewers or streams.	
PERSONAL PRECAUTIONARY MEASURES	Wear protective clothing during cleanup	

SECTION 7 – HANDLING AND STORAGE		
HANDLING PROCETURES	Avoid contact with eyes. Avoid ingestion. Use good industrial hygiene practices in handling this product. Keep container closed when not in use.	
STORAGE NEEDS	Keep container tightly closed. Keep away from children. Do not store in unlabeled containers. Do not store with strong oxidizing agents.	

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION		
VENTILATION REQUIREMENTS	General ventilation is recommended.	
PROTECTIVE EQUIPMENT	Ensure that eyewash stations are proximal to the work-station	
PROTECTIVE EQUIPMENT	location	
EYE/TYPE	Safety glasses	
RESPIRATORY/TYPE	None required	
GLOVE/TYPE	Nitrile, Vinyl, latex, Butyl impervious gloves	
FOOTWEAR/TYPE	No special footwear is required	
BODY/TYPE	No special protective clothing is required	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE – PHYSICAL STATE	Clear blue liquid	
ODOUR	pleasant	
ODOUR THRESHOLD (PPM)	Not available	
PH	10.40 ±0.50 in water concentrate, 9.25 ± 0.5 2% solution in water	
MELTING POINT (°C)	Not applicable	
BOILING POINT (°C)	100°C	
FREEZING POINT (°C)	0°C	
EVAPORATION RATE	As water	
FLAMMABILITY	Not applicable	
FLASH POINT (°C)	Not applicable	
AUTO IGNITION TEMPERATURE	Not applicable	
DECOMPOSITION TEMPERATURE	Not available	
VAPOUR DENSITY	Notapplicable	

VAPOUR PRESSURE	Notapplicable
SOLUBILITY	Soluble in water
VISCOSITY	Thin liquid
% VOLATILE BY VOLUME	92 ± 1
SPECIFIC GRAVITY	$1.02 \pm 0.02 \text{ gm} / \text{cm}^3$

SECTION 10 – STABILITY AND REACTIVITY		
REACTIVITY	The product is stable	
CHEMICAL STABILITY	Stable	
POSSIBILITY OF HAZARDOUS REACTIONS	Not applicable	
CONDITIONS TO AVOID	No specific data	
INCOMPATIBLE MATERIALS	Strong Oxidizing agents, Acids	
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon Dioxide (CO ₂), Carbon Monoxide, Oxides of Sulphur	

SECTION 11-TOXICOLOGICAL INFORMATION		
TOXICITY EFFECTS ON ANIMALS	For Diethylene Imidoxide Oleate (1095-66-5): Acute Oral toxicity LD50 (Rat): >5,000 mg /kg, LD50 Dermal (Rabbit): >2,000 mg/kg. For Sodium (C10-16) Benzene Sulfonate (68081-2): Acute Oral Toxicity LD50 (Rat); >1,000 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >2,000 mg/kg For Sodium Citrate (68-04-2): Acute Oral toxicity LD50 (Rat): 6,730 mg/kg. LD50 Dermal (Rabbit): >2,000 mg/kg. For 2-Butoxyethanol (111-76-2): Acute Oral Toxicity LD50 (Rat): 1,300 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >5,000 mg/kg. NIOSH PEL-TWA 50 ppm (240 mg/m³), IDLH (Immediate danger 700 ppm. For Sodium Metasilicate Pentahydrate (10213-79-3): Acute Oral Toxicity LD50 (Rat): 1153 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): 250 mg/kg/24 h. For Phosphoric acid, Trisodium salt, dodecahydrate (10101-89-0): Acute Oral Toxicity LD50 (Rat): 7400 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >2,000 mg/kg For the mix estimated Acute Oral Toxicity is much >5,000 mg/kg. Therefore product is classified as non-toxic. Acute Dermal Toxicity for the mix is also	
TOXIC EFFECTS ON HUMANS	estimated to be much >5,000 mg/ kg. Therefore the product is not toxic. May cause irritation of eyes, may cause some skin irritation to some persons	
CHRONIC EFFECTS ON HUMANS	No known significant effects	
CARCINOGENICITY	No evidence	
TERATOGENICITY	No evidence	
MUTAGENICITY	No evidence	
REPRODUCTIVE EFFECTS	No evidence	

SECTION 12 - ECOLOGICAL INFORMATION		
ECOTOXICITY DATA	For Diethylene Imidoxide Oleate (1095-66-5): No specific data was located. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Ingredient readily BIODEGRADABLE.	

	For Sodium (C10-16) Benzene Sulfonate (68081-81-2): Acute Toxicity to fish LC50,
	Fathead minnow (Pimephales Promelas): 1.67 mg /L /96h. Acute Toxicity Crustacea
	EC50, Daphnia magna (Water flea): 2.4 mg / L/ 48 h. EC50 Algae: 20 mg /L / 96h. This
	ingredient is Toxic to aquatic organisms, however it biodegradates very fast. Primary
	degradation intermediates are Sulfophenyl Carboxylates which further degrades to
	CO ₂ ,SO ₄ and water. Biodegradation intermediates have LC50 >1,000 mg /L /96 h. for
	Fathead Minnows and Daphnia magna and are not toxic to aquatic organisms.
	For Sodium Citrate (68-04-2)): Acute Toxicity to fish LC50, Poecilia Reticulata:
	18,000-32,000 mg/L/96h.Acute Toxicity to Crustacea EC50, Daphnia magna (Water
	flea): 5,600 mg/L/48 h. EC50, Chlorella Vulgaris (fresh water Algae): 18,000-32,000
	mg / L / 96 h. Ingredient readily BIODEGRADABLE. Biodegradability: >98% /2 days
	For 2-Butoxyethanol (111-76-2): Material is practically non-toxic to aquatic organisms
	on an acute basis (LC50/EC50 >100 mg / L in most sensitive species tested). EC50,
	Daphnia magna (Waterflea), static test: 1,550 mg / L / 48h. BIODEGRADABLE product.
	For Sodium metasilicate pentahydrate (10213-79-3): Ecotoxicity in water, acute
	toxicity to fish LC50, Mosquito fish (Gambusia affinis): 2,320 ppm / 96 h. Acute
	Toxicity to aquatic invertebrates, EC50, Daphnia magna (Water flea): 247 ppm /96 h.
	Acute toxicity to snail eggs (Lymnea): 632 ppm/96 h. This ingredient is inorganic and
	not subject to biodegradation.
	For Phosphoric acid, Trisodium salt dodecahydrate (10101-89-0): Acute Toxicity to
	fish: EC50, Mosquitofish: 151 mg/L/96 h. EC50 Daphnia magna (Waterflea): 126
	mg/L / 96 h. No specific biodegradation test data was located. Formulation will
	contain $< 0.18 \% P_2O_5$.
	Readily biodegradable
BIODEGRADABILITY	
PRODUCTS OF	No data available
DEGRADATION	INO Udla available

SECTION 13 – DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations	
INFORMATION ON SAFE HANDLING FOR DISPOSAL INCLUDING ANY CONTAMINATED PACKAGING	Suitable waste facility	

SECTION 14 – TRANSPORT INFORMATION		
UN NUMBER	Not applicable	
UN PROPER SHIPPING NAME	Notapplicable	
TRANSPORT HAZARD CLASS	Not regulated	
PACKAGING GROUP	Notapplicable	
ENVIRONMENTAL HAZARDS	Nil	
TRANSPORT IN BULK, if applicable	Notapplicable	
SPECIAL PRECAUTIONS	NIL	

SECTION 15 – REGULATORY INFORMATION		
SAFETY HEALTH & ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT	U.S. TSCA inventory Status: All components of this product are either on the Toxic Substances Control Act (TSCA) INVENTORYList or exempt. Canadian DSL Inventory Status: All components of this product are either on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL) or exempt.	

SECTION 16 – OTHER INFORMATION		
PREPARED BY:	Gus Kaklamanos - Chemist	
TELEPHONE NO.:	416-261-7182	
DATE OF THE LATEST REVISION OF SDS:	October 5, 2017	