G.K. Chemical Specialties Co. Inc.
90 Barbados Blvd.
Scarborough, Ontario M1J 1K9
Tel: (416) 261-7182 Fax: (416) 261-5663

SAFETY DATA SHEET (SDS)

PRODUCT NAME: G-430 PATHCLEAN LOW FOAM NEUTRAL CLEANER	
HEALTH HAZARD RATING:	(1)- SLIGHT HAZARD NFPA Rating
FLAMMABILITY HAZARD RATING:	(0)- MINIMAL HAZARD
REACTIVITY HAZARD RATING:	(0)- MINIMAL HAZARD
PERSONAL PROTECTION:	a (glasses,)
HAZARD ALERT SIGN:	

SECTION 1 – **IDENTIFICATION**	
PRODUCT IDENTIFIER	
PRODUCT NAME	G-430 PATHCLEAN LOW FOAM NEUTRAL CLEANER
MANUFACTURER'S NAME AND ADDRESS **EMERGENCY PHONE NO.**	G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 (416) 261-7182 / 905 427-7605/ 416-526-4037
SUPPLIER'S NAME AND ADDRESS **EMERGENCY PHONE NO.**	
CHEMICAL NAME	N/A
CHEMICAL FAMILY	N/A
TRADE NAME AND SYNONYMS	N/A
MATERIAL USE	cleaning

G.K. Chemical Specialties Co. Inc. has compiled the information and recommendations contained in this Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation.

G.K. Chemical Specialties Co. Inc. extends no warranty and assumes no responsibility as to the accuracy of the content or sufficiency of the information and expressly disclaims all liability for reliance thereon. This SDS provides guidelines for the safe handling of this product. It does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.

G.K. Chemical Specialties Co. Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

INGREDIENTS. This SDS, under section of Ingredients, contains all ingredients listed under INGREDIENT DISCLOSURE LIST P.C. 1987-2719, 20/1/88 CANADA GAZETTE PART II VOL. 122, No 2 of HAZARDOUS PRODUCT ACT.
Percentage range of concentration of ingredients is expressed as percentage by weight of the total weight of the product. Ingredient List does not necessarily list all ingredients in the formulation and does not necessarily list all ingredient range of concentration, other than ingredients under the Disclosure List.

T.L.V. (units) or Threshold Limit Values refer to the limiting concentrations recommended by the Ministry of Labour. These values were adopted by the American Conference of Governmental Industrial Hygienists (A.C.G.I.H.). The figures refer to time-weighted average concentrations as P.P.M. (V/V) or mg/m^3 for a normal working day or at any time for some materials.

"C.A.S REG. No." means the identification number assigned to a chemical substance by the Chemical Abstracts Service Division of the American Chemical Society.
"LC 50" means the concentration of a substance in air that when administered by means of inhalation over a specified length of time in an animal assay, is expected to cause the death of 50 per cent of a defined animal population.
"LD 50" means the single dose of a substance that, when administered by a defined route in an animal assay, is expected to cause death of 50 per cent of a defined animal population.

FLASH POINT. The minimum temperature at which a substance gives off flammable vapors which in contact with spark or flame will ignite.

NIOSH- National institute for occupational safety and health
STEL- Short term exposure limit
TWA- Time-weighted average
PEL- Permissible exposure limit
ACGIH- American conference of governmental industrial hygienist
OSHA- Occupational safety and health act

SECTION 2 – HAZARD IDENTIFICATION



Dangerous Goods-WHMIS: CLASS D, 2B
OSHA HAZARDS: Irritant

GHS CLASSIFICATION
Eye irritation- Category 2A

GHS Label Elements, including precautionary statements: Hazard Statements
Signal word-DANGER

HAZARD STATEMENTS
H320-Causes eye irritation
H302- Harmful if swallowed

PREVENTION (see also section 4 –First aid and measures)
P280: Wear eye protection/ face protection
P264: Wash skin thoroughly after handling
P405: Store locked up

RESPONSE:
P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313: If eye irritation persists: Get medical advice/ attention
P303 + P361 +P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Shower.
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.
P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

POTENTIAL HEALTH EFFECTS
EYE: May cause irritation
SKIN: May cause skin irritation
INGESTION: May be harmful if swallowed

SECTION 3 – **COMPOSITION/INFORMATION ON INGREDIENTS**				
HAZARDOUS INGREDIENTS	**APPROXIMATE CONCENTRATION %**	**C.A.S., N.A. OR U.N. NUMBERS**	**LD50 {SPECIFY SPECIES & ROUTE}**	**LC 50 {SPECIFY SPECIES & ROUTE}**
Citric Acid, Anhydrous	3 - 5	77-92-9	Oral(Rat): 6730 mg/kg Dermal (Rabbit):>2000 mg/kg	
Sodium Hydroxide	1 - 3	1310-73-2	Oral (Rat): 140-340 mg/kg Dermal(Rabbit): 1350 mg/kg	
2-Propenoic acid, homopolymer, sodium salt	0.5 – 1.5	9003-04-7	Oral (Rat): >5,000 mg/kg Dermal(Rabbit):>5,000mg/kg	
2-Butoxyethanol	0.5 – 1.5	111-76-2	Oral(Rat): 1,300 mg/kg Dermal(Rabbit):>5,000 mg/kg	
Ethoxylated Polyoxypropylene Block Copolymer	2 – 5	9003-11-6	Oral(Rat): 5,500 mg/kg Dermal(Rabbit): >5000 mg/kg	
Sodium Xylene Sulfonate	< 1	1300-72-7	Oral(Rat): 16,200 mg/kg Dermal(Rabbit):>2,000mg/kg	
Water, inert and other non -hazardous ingredients	Balance			

SECTION 4 – **FIRST AID MEASURES**	
SKIN CONTACT	No known significant effects or critical hazards for product at use solution. For product as sold contact may cause mild irritation. In case of contact rinse with plenty of water.
EYE CONTACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Seek medical attention if required
INHALATION	No known significant effects or critical hazards
INGESTION	May be harmful if swallowed. Do not induce vomiting. Drink 1 or 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious or convulsing person. If vomiting occur spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.
NOTES TO PHYSICIAN	Treatment based on sound judgment of physician and individual reaction of patient. If swallowed Symptoms may include nausea, vomiting and diarrhea. EYE CONTACT: Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

SECTION 5 – **FIRE-FIGHTING MEASURES**	
FLASH POINT (^{0}C)	Not applicable
FLASH POINT METHOD	Not applicable
AUTOIGNITION TEMPERATURE (^{0}C)	Not applicable
UPPER FLAMMABLE LIMIT (% VOL.)	Not applicable
LOWER FLAMMABLE LIMIT (% VOL.)	Not applicable
HAZARDOUS COMBUSTION PRODUCTS	Carbon Dioxide (CO_2), Carbon monoxide (CO), Oxides of Sulphur
UNUSUAL FIRE/ EXPLOSION HAZARDS	None known
SENSITIVITY TO MECHANICAL IMPACT	Not sensitive

SENSITIVITY TO STATIC DISCHARGE	Not sensitive
EXTINGUISHING MEDIA	Water spray, foam, dry powder or Carbon Dioxide. Use media appropriate for surrounding fire
SPECIAL FIRE FIGHTING PROCEDURES	Fire fighters should wear full protective clothing, including self-contained breathing equipment

SECTION 6 – ACCIDENTAL RELEASE MEASURES	
LEAK AND SPILL PROCEDURE	Stop leak. Move containers from spill area. Dilute with water and mop up. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur
ENVIRONMENTAL PRECAUTIONARY	Prevent entry into sewers or streams.
PERSONAL PRECAUTIONARY MEASURES	Wear protective clothing during cleanup

SECTION 7 – HANDLING AND STORAGE	
HANDLING PROCETURES	Avoid contact with eyes. Avoid ingestion. Use good industrial hygiene practices in handling this product. Keep container closed when not in use.
STORAGE NEEDS	Keep container tightly closed. Keep away from children. Do not store in unlabeled containers. Do not store with strong oxidizing agents.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION	
VENTILATION REQUIREMENTS	General ventilation is recommended.
PROTECTIVE EQUIPMENT	Ensure that eyewash stations are proximal to the work-station location
EYE/TYPE	Safety glasses
RESPIRATORY/TYPE	None required
GLOVE/TYPE	Nitrile, Vinyl, latex, Butyl impervious gloves
FOOTWEAR/TYPE	No special footwear is required
BODY/TYPE	No special protective clothing is required

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE – PHYSICAL STATE	Clear yellow liquid
ODOUR	Mild Lemon
ODOUR THRESHOLD (PPM)	Not available
PH	7.20 ±0.50 in water concentrate, 7.05 ± 0.4 2% solution in water
MELTING POINT (^{0}C)	Not applicable
BOILING POINT (^{0}C)	100^{0}C
FREEZING POINT (^{0}C)	0^{0}C
EVAPORATION RATE	As water
FLAMMABILITY	Not applicable
FLASH POINT (^{0}C)	Not applicable
AUTO IGNITION TEMPERATURE	Not applicable
DECOMPOSITION TEMPERATURE	Not available
VAPOUR DENSITY	Not applicable

VAPOUR PRESSURE	Not applicable
SOLUBILITY	Soluble in water
VISCOSITY	Thin liquid
% VOLATILE BY VOLUME	89.5 ± 1
SPECIFIC GRAVITY	1.04 ± 0.01 gm / cm^3

SECTION 10 – STABILITY AND REACTIVITY	
REACTIVITY	The product is stable
CHEMICAL STABILITY	Stable
POSSIBILITY OF HAZARDOUS REACTIONS	Not applicable
CONDITIONS TO AVOID	No specific data
INCOMPATIBLE MATERIALS	Strong Oxidizing agents, Acids
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon Dioxide ($C0_2$), Carbon Monoxide, Oxides of Sulphur

SECTION 11 –TOXICOLOGICAL INFORMATION	
TOXICITY EFFECTS ON ANIMALS	**For Citric Acid, Anhydrous (77-92-9):** Acute Oral toxicity LD50 (Rat): 6,730 mg /kg, LD50 Dermal (Rabbit): >2,000 mg/kg. **For Sodium Hydroxide (1310-73-2):** Acute Oral Toxicity LD50 (Rat): 140-340 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): 1350 mg/kg **For 2-Propenoic acid, homopolymer, sodium salt (9003-04-7):** Acute Oral toxicity LD50 (Rat): >5,000 mg/kg. LD50 Dermal (Rabbit): >5,000 mg/kg. **For 2-Butoxyethanol (111-76-2):** Acute Oral Toxicity LD50 (Rat): 1,300 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >5,000 mg/kg. NIOSH PEL-TWA 50 ppm (240 mg/m^3), IDLH (Immediate danger 700 ppm. **For Ethoxylated Polyoxypropylene Block Copolymer (9003-11-6):** Acute Oral Toxicity LD50 (Rat): 5,500 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >5000 mg/kg **For Sodium Xylene Sulfonate (1300-72-7):** Acute Oral Toxicity LD50 (Rat): 16,200 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >2,000 mg/kg **For the mix** estimated Acute Oral Toxicity is much >5,000 mg/kg. Therefore product is classified as non-toxic. Acute Dermal Toxicity for the mix is also estimated to be much >5,000 mg/ kg. Therefore the product is not toxic.
TOXIC EFFECTS ON HUMANS	May cause irritation of eyes, may cause some skin irritation to some persons
CHRONIC EFFECTS ON HUMANS	No known significant effects
CARCINOGENICITY	No evidence
TERATOGENICITY	No evidence
MUTAGENICITY	No evidence
REPRODUCTIVE EFFECTS	No evidence

SECTION 12 –ECOLOGICAL INFORMATION	
ECOTOXICITY DATA	**For Citric Acid, Anhydrous (77-92-9) :** The product is not classified as environmentally hazardous. Acute Toxicity to fish, LC50, L. Macrochius: 1516 mg / L/ 96 h. Ingredient readily BIODEGRADABLE**.**

	For Sodium Hydroxide (1310-73-2): This ingredient exhibits moderate toxicity to aquatic organisms**.** In this formulation most of the sodium hydroxide is neutralized by Citric Acid and will be non-hazardous for the environment. Acute Toxicity to fish LC50, Brook trout: 25 ppm /24 h., LC50, King Salmon: 48 ppm. Acute Toxicity Crustacea EC50, Daphnia magna (Water flea): 100 ppm This ingredient is inorganic and not subject to biodegradation. **For 2-Propenoic acid, homopolymer, sodium salt (9003-04-7):** Ingredient is not classified as environmentally hazardous. Acute Toxicity to fish LC50, Oncorhynchus mykiss (rainbow trout): 700 mg / L / 96 h. LC50, Bluegill sunfish (Lepomis macrochirus): >1,000 mg/ L / 96 h. LC50, Zebra fish (Danio / Brachydanio rerio): >200 mg / L / 96 h. Acute Toxicity to Crustacea EC50, Daphnia magna (Water flea): >1,000 mg /L / 48 h. EC50, Chlorella Vulgaris (fresh water Algae): >180 mg / L / 96 h. Biodegradability: No relevant data found **For 2-Butoxyethanol (111-76-2):** Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50 >100 mg / L in most sensitive species tested). EC50, Daphnia magna (Water flea), static test: 1,550 mg / L / 48h. BIODEGRADABLE product. **For Ethoxylated Polyoxypropylene Block Copolymer (9003-11-6):** Ecotoxicity in water: No known significant effects or critical hazards. Acute toxicity to fish, LC50, Leuciscus idus: >100 mg / L / 96 h. Acute Toxicity to aquatic invertebrates, EC50, Daphnia magna (Water flea): >100 mg / L /48 h. This ingredient is Readily BIODEGRADABLE **For Sodium Xylene Sulfonate (1300-72-7):** Ingredient relatively harmless to aquatic environment. Acute Toxicity to fish: LC50, Rainbow trout, static test: >1,000 mg /L /96 h. Acute Toxicity to aquatic invertebrates, EC50 Daphnia magna (Water flea), static test: >1,000 mg/L / 48 h. Ingredient readily BIODEGRADABLE
BIODEGRADABILITY	Readily biodegradable
PRODUCTS OF DEGRADATION	No data available

SECTION 13 – DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations
INFORMATION ON SAFE HANDLING FOR DISPOSAL INCLUDING ANY CONTAMINATED PACKAGING	Suitable waste facility

SECTION 14 – TRANSPORT INFORMATION	
UN NUMBER	Not applicable
UN PROPER SHIPPING NAME	Not applicable
TRANSPORT HAZARD CLASS	Not regulated
PACKAGING GROUP	Not applicable
ENVIRONMENTAL HAZARDS	Nil
TRANSPORT IN BULK, if applicable	Not applicable
SPECIAL PRECAUTIONS	NIL

SECTION 15 – REGULATORY INFORMATION	
SAFETY HEALTH & ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT	U.S. TSCA inventory Status: All components of this product are either on the Toxic Substances Control Act (TSCA) INVENTORY List or exempt. Canadian DSL Inventory Status: All components of this product are either on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL) or exempt.

SECTION 16 – OTHER INFORMATION	
PREPARED BY:	Gus Kaklamanos - Chemist
TELEPHONE NO.:	416-261-7182
DATE OF THE LATEST REVISION OF SDS:	**04/01/2026**